



化

SDS)

SJ4866DT

2024-01-26

2024-02-25

4.8

GB/T 16483-2008 GB/T 17519-2013

1.

POLYESTER RESIN
SJ4866DT

CAS

8

SDS

241008
0553-5316333
0553-5316330
ASJ_SDS@ 126.com
http //www.shen-jian.com

0553-5316333

2.

GB 13690-2009 GB 30000-2013

/

GHS

GHS

■

P264

P271

P272

■

P302+P352

P362+P364

■

P410+P403

■

P501

vPvB

/

3. /

/

1

8

4.

/

“ ”(11)

5.

CO₂

/

(MSHA/NIOSH)

6.

“ ”

8

13

7

(8)

30 (86)

8.

EN 14042
GBZ/T 160.1~GBZ/T 160.81-2004
WS/T 52 WS/T 110 A

/

9.

PH

/ ()

()

() 350

[%(v/v)]

(kPa)

(=1)

(=1) 1.2

(g/cm³) 1.2 (23)

600 750 kg/m3

(mg/L)

(mg/L)

() 350

() 350

() 350

VOC

10.

(7)

()

11.

_____ / _____

_____ / _____

12.

_____ / _____ (Koc)

PBT vPvB _____

PBT

vPvB

13.

J(2019)2019 07 05

K(2023)2022 12 29 28

	AIIC	DSL	DRAFT	EINECS	ENCS	IECSC	KECL	NCI	INSQ	NZloc	PICCS
	TCSI	TSCA									

AIIC

DSL

DRAFT

EINECS

ENCS

IECSC

KECL

NCI

INSQ

NZloc

PICCS

TCSI

TSCATSCA

	A	B	C	D	E

A

BABCE

C

D“ ”PIC

EUNECE

16.

2 9 15

2024 02 25

2021 06 28

4.8

1	ICSC	http://www.ilo.org/dyn/icsc/showcard.home
2		http://www.iarc.fr/
3	OECD	http://www.echemportal.org/echemportal/index?page
4	CAMEO	http://cameochemicals.noaa.gov/search/simple
5	:	http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp
6		http://cfpub.epa.gov/iris/
7		http://www.phmsa.dot.gov/hazmat/library/erg
8	GESTIS-	http://gestis-en.itrust.de/

CAS-	TSCA-	TSCA
PC-STEL-	PC-TWA-	
DNEL-	IARC-	
RPE-	PNEC-	
LC ₅₀ - 50%	LD ₅₀ -50%	
NOEC-	EC ₅₀ -50%	
PBT-	POW-	/
BCF-	vPvB-	(BCF)
CMR-	IMDG-	
ICAO/IATA-	UN-	/
ACGIH-	NFPA-	
OECD-		